

Freeform Search

Database:	<input type="checkbox"/> US Pre-Grant Publication Full-Text Database <input type="checkbox"/> US Patents Full-Text Database <input type="checkbox"/> US OCR Full-Text Database <input checked="" type="checkbox"/> EPO Abstracts Database <input type="checkbox"/> JPO Abstracts Database <input type="checkbox"/> Derwent World Patents Index <input type="checkbox"/> IBM Technical Disclosure Bulletins
Term:	<input type="text" value="L19 and (heat\$3 or cool\$3)"/> <input checked="" type="checkbox"/>
Display:	<input type="text" value="10"/> Documents in Display Format: <input type="radio"/> List <input checked="" type="radio"/> Document <input type="radio"/> Side by Side <input type="radio"/> Image
Generate: <input type="radio"/> Hit List <input checked="" type="radio"/> Hit Count <input type="radio"/> Side by Side <input type="radio"/> Image	

Search History

DATE: Wednesday, May 18, 2005 [Printable Copy](#) [Create Case](#)

<u>Set Name</u>	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u>
side by side			result set
	<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>		
<u>L20</u>	L19 and (heat\$3 or cool\$3)	21	<u>L20</u>
<u>L19</u>	L18 and (thermocouple or thermopile)	22	<u>L19</u>
<u>L18</u>	L9 and (absorb\$4 layer or absorb\$3 membrane)	70	<u>L18</u>
<u>L17</u>	L9 and (infrared temperature detector or infrared energy detector)	24	<u>L17</u>
<u>L16</u>	L9 and (radian energy calorimeter or IR calorimeter)	2	<u>L16</u>
<u>L15</u>	L14 and (cool\$3)	149	<u>L15</u>
<u>L14</u>	L13 and (heat\$3)	276	<u>L14</u>
<u>L13</u>	L12 and (absorb\$3)	280	<u>L13</u>
<u>L12</u>	L10 and (temperature or thermal or thermopile)	663	<u>L12</u>
<u>L11</u>	L10 and (temperature or thermal)	662	<u>L11</u>
<u>L10</u>	L9 and (calorimeter)	765	<u>L10</u>
<u>L9</u>	374/\$.ccls.	28614	<u>L9</u>
	<i>DB=USPT; PLUR=YES; OP=ADJ</i>		
<u>L8</u>	3508056.pn.	1	<u>L8</u>
<u>L7</u>	635008056.pn.	0	<u>L7</u>
<u>L6</u>	6572263.pn.	1	<u>L6</u>

DB=PGPB; PLUR=YES; OP=ADJ

L5 20030099276

1 L5

L4 320030099276

0 L4

DB=USPT; PLUR=YES; OP=ADJ

L3 3665762.pn.

1 L3

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ

L2 L1 and (IR or infrared or temperature or thermometer)

71 L2

L1 laser sight\$3 device or laser sight\$3 system

197 L1

END OF SEARCH HISTORY

Freeform Search

Database:	<input type="checkbox"/> US Pre-Grant Publication Full-Text Database <input type="checkbox"/> US Patents Full-Text Database <input type="checkbox"/> US OCR Full-Text Database <input checked="" type="checkbox"/> EPO Abstracts Database <input type="checkbox"/> JPO Abstracts Database <input type="checkbox"/> Derwent World Patents Index <input type="checkbox"/> IBM Technical Disclosure Bulletins
Term:	<input power""="" style="width: 100%;" type="text" value="L9 and "/>
Display:	<input type="text" value="10"/> Documents in <u>Display Format:</u> <input type="text" value="1"/> Starting with Number <input type="text" value="1"/>
Generate:	<input type="radio"/> Hit List <input checked="" type="radio"/> Hit Count <input type="radio"/> Side by Side <input type="radio"/> Image

Search History

DATE: Wednesday, May 18, 2005 [Printable Copy](#) [Create Case](#)

<u>Set</u>	<u>Name</u>	<u>Query</u>	<u>Hit</u>	<u>Set</u>
			<u>Count</u>	<u>Name</u>
side by side				result set
DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ				
<u>L10</u>	L9 and "power"		1	<u>L10</u>
<u>L9</u>	4687342.pn.	(absorbing or absorption) same (calorimeter or power meter) and (temperature or thermal or thermopile or thermocouple\$1 or thermistor\$1) and (heat sink) and (heater or heating)	2	<u>L9</u>
<u>L8</u>			60	<u>L8</u>
<u>L7</u>	422/51		166	<u>L7</u>
<u>L6</u>	374/32		204	<u>L6</u>
<u>L5</u>	L4 and "calorimeter"		65	<u>L5</u>
<u>L4</u>	436/147		326	<u>L4</u>
<u>L3</u>	L2 and (absor\$4)		38	<u>L3</u>
<u>L2</u>	L1 and "power meter"		81	<u>L2</u>
<u>L1</u>	374/\$.ccls.		28614	<u>L1</u>

END OF SEARCH HISTORY